

BULK FEED TANKS



One of the most reliable Bulk Feed Tanks on the market

You spend time caring and nurturing your livestock to bringing in high yield. Storing your feed in bins with faulty or inefficient delivery systems is like letting your hard-earned profits seep right through your fingers.

AGI Bulk Feed Tanks are engineered and built to provide optimum protection, ease of use and reliable performance over the long haul. We've taken extra steps in the manufacturing and design process to incorporate details and features that make a big difference in the day-to-day use of feed hopper bins - and return on your investment long-term.

KEY FEATURES

- 40° roof pitch for better feed fill and greater capacity
- Rolled and crimped connections and extended sidewall drip edge for outstanding drip edge
- G-115 galvanized steel wall sheets for extended life of galvanized coating
- Engineered for optimal structural strength
- Precisely manufactured to AGI quality standards

PERFORMANCE ENHANCING FEATURES



Access lid with 200° opening range lays flat to reduce potential damage during fill and provide greater access.




Remote open lid can be opened and closed from the bin's base for extra convenience and safety.



Heavy-duty ladder with top handrail provides extra safety and easy access.




Rolled and crimped connections on the eaves and the hopper-to-sidewall matches corrugation of sidewall for extra strength and protection of contents.



Extended sidewall drip edge directs moisture away from the discharge end of the hopper.

Robust Construction. Reliable Performance.



Heavy-duty one-piece 14 GA 16" outlet collar provides strength and reliability on the working portion of the bin.



Reinforcing flange adds strength and stability.



Innovative engineering and design features provide the ultimate worker safety, protection of bin contents, strength and stability, and long-term performance of your feed hopper bin.

FEED HOPPER BIN CAPACITIES

TANK DIAMETER (ML)	HOPPER ANGLE	NUMBER OF SIDEWALL RINGS	APPROPRIATE MAXIMUM CAPACITY						
			CUBIC FEET (FT ³)	BUSHEL ^S *	U.S. TONS		CUBIC METERS (M ³) **	METRIC TONS	
					40 PCF	45 PCF		640 KG/M ³	721 KG/M ³
6' (1.83)	60°	1	142	114	2.8	3.2	4.0	2.6	2.9
6' (1.83)	60°	2	216	174	4.3	4.9	6.1	3.9	4.4
6' (1.83)	60°	3	291	234	5.8	6.5	8.2	5.3	5.9
6' (1.83)	60°	4	365	294	7.3	8.2	10.3	6.6	7.5
7' (2.13)	67°	1	237	190	4.7	5.3	6.7	4.3	4.8
7' (2.13)	67°	2	338	272	6.8	7.6	9.6	6.1	6.9
7' (2.13)	67°	3	440	353	8.8	9.9	12.5	8.0	9.0
7' (2.13)	67°	4	541	435	10.8	12.2	15.3	9.8	11.1
7' (2.13)	67°	5	643	517	12.9	14.5	18.2	11.6	13.1
7' (2.13)	67°	6	744	598	14.9	16.7	21.1	13.5	15.2
9' (2.74)	60°	2	568	456	11.4	12.8	16.1	10.3	11.6
9' (2.74)	60°	3	736	591	14.7	16.6	20.8	13.3	15
9' (2.74)	60°	4	904	726	18.1	20.3	25.6	16.4	18.4
9' (2.74)	60°	5	1071	861	21.4	24.1	30.3	19.4	21.9
9' (2.74)	60°	6	1239	996	24.8	27.9	35.1	22.5	25.3
12' (3.66)	60°	2	1153	927	23.1	25.9	32.7	20.9	23.5
12' (3.66)	60°	3	1451	1167	29.0	32.7	41.1	26.3	29.6
12' (3.66)	60°	4	1750	1407	35.0	39.4	49.6	31.7	35.7
12' (3.66)	60°	5	2048	1647	41.0	46.1	58.0	37.1	41.8
12' (3.66)	60°	6	2347	1886	46.9	46.9	66.5	42.5	47.9

* 1.244 FT³/BU

** 35.31 FT³/M³



AGI is a leading provider of equipment solutions for agriculture bulk commodities including seed, fertilizer, grain, and feed systems with a growing platform in providing equipment and solutions for food processing facilities. AGI has manufacturing facilities in Canada, the United States, the United Kingdom, Brazil, India and Italy and distributes its products globally.



AGI Westeel Head Office Box 792, Winnipeg, Canada R3C 2N5
 204.233.7133 | 888.Westeel (937.8335) | info@westeel.com | aggrowth.com/westeel