

FP SILO DIMENSIONS & CAPACITIES



DIAMETER METERS (FEET)	MODEL	HEIGHTS		CAPACITY		
		EAVES m (B)	OVERALL m (C)	m³	Tonnes	
3,64 m (12 FT) (D)	FP 4/5	4,44	5,43	50	39	
	FP 4/6	5,32	6,31	59	46	
	FP 4/7	6,20	7,19	68	53	
	FP 4/8	7,08	8,07	77	60	
	FP 4/9	7,96	8,95	86	67	
	FP 4/10	8,84	9,83	95	74	
	FP 4/11	9,72	10,71	104	81	
	FP 4/12	10,60	11,59	114	89	
	FP 4/13	11,48	12,47	123	96	
	FP 4/14	12,36	13,35	132	103	
	FP 4/15	13,24	14,23	141	110	
	FP 4/16	14,12	15,11	150	117	
	FP 4/17	15,00	15,99	159	124	
	FP 4/18	15,88	16,87	168	131	
	FP 4/19	16,76	17,75	178	139	
	FP 4/20	17,64	18,63	187	146	
	4,55 m (15 FT) (D)	FP 5/5	4,44	4,81	79	61
		FP 5/6	5,32	5,69	93	73
		FP 5/7	6,20	6,57	107	84
		FP 5/8	7,08	7,45	122	95
FP 5/9		7,96	8,33	136	106	
FP 5/10		8,84	9,21	150	117	
FP 5/11		9,72	10,09	164	128	
FP 5/12		10,60	10,97	179	139	
FP 5/13		11,48	11,85	193	151	
FP 5/14		12,36	12,73	207	162	
FP 5/15		13,24	13,61	222	173	
FP 5/16		14,12	14,49	236	184	
FP 5/17		15,00	15,37	250	195	
FP 5/18		15,88	16,25	265	206	
FP 5/19		16,76	17,13	279	217	
FP 5/20		17,64	18,01	293	229	
FP 5/21		18,52	18,89	307	240	
FP 5/22		19,40	19,77	322	251	
FP 5/23		20,28	20,65	336	262	
FP 5/24		21,16	21,53	350	273	
FP 5/25	22,04	22,41	365	284		
5,46 m (18 FT) (D)	FP 6/5	4,44	5,95	115	90	
	FP 6/6	5,32	6,83	136	106	
	FP 6/7	6,20	7,71	156	122	
	FP 6/8	7,08	8,59	177	138	
	FP 6/9	7,96	9,47	197	154	
	FP 6/10	8,84	10,35	218	170	
	FP 6/11	9,72	11,23	239	186	
	FP 6/12	10,60	12,11	259	202	
	FP 6/13	11,48	12,99	280	218	
	FP 6/14	12,36	13,87	300	234	
	FP 6/15	13,24	14,75	321	250	
	FP 6/16	14,12	15,63	342	266	
	FP 6/17	15,00	16,51	362	283	
	FP 6/18	15,88	17,39	383	299	
	FP 6/19	16,76	18,27	403	315	
	FP 6/20	17,64	19,15	424	331	
	FP 6/21	18,52	20,03	445	347	
	FP 6/22	19,40	20,91	465	363	
	FP 6/23	20,28	21,79	486	379	
	FP 6/24	21,16	22,67	506	395	
FP 6/25	22,04	23,55	527	411		
FP 6/26	22,92	24,43	547	427		
FP 6/27	23,80	25,31	568	443		
FP 6/28	24,68	26,19	589	459		
FP 6/29	25,56	27,07	609	475		
FP 6/30	26,44	27,95	630	491		
FP 6/31	27,32	28,83	650	507		
6,37 m (21 FT) (D)	FP 7/7	6,20	7,98	215	168	
	FP 7/8	7,08	8,86	243	190	
	FP 7/9	7,96	9,74	271	212	
	FP 7/10	8,84	10,62	299	234	
	FP 7/11	9,72	11,50	327	255	
	FP 7/12	10,60	12,38	355	277	
	FP 7/13	11,48	13,26	383	299	
	FP 7/14	12,36	14,14	411	321	
	FP 7/15	13,24	15,02	440	343	
	FP 7/16	14,12	15,90	468	365	
	FP 7/17	15,00	16,78	496	387	
	FP 7/18	15,88	17,66	524	408	
	FP 7/19	16,76	18,54	552	430	
	FP 7/20	17,64	19,42	580	452	
	FP 7/21	18,52	20,30	608	474	
	FP 7/22	19,40	21,18	636	496	
	FP 7/23	20,28	22,06	664	518	
	FP 7/24	21,16	22,94	692	540	
	FP 7/25	22,04	23,82	720	561	
	FP 7/26	22,92	24,70	748	583	
FP 7/27	23,80	25,58	776	605		
FP 7/28	24,68	26,46	804	627		
FP 7/29	25,56	27,34	832	649		
FP 7/30	26,44	28,22	860	671		
FP 7/31	27,32	29,10	888	693		
FP 7/32	28,20	29,98	916	714		

DIAMETER METERS (FEET)	MODEL	HEIGHTS		CAPACITY	
		EAVES m (B)	OVERALL m (C)	m³	Tonnes
7,28 m (24 FT) (D)	FP 8/7	6,20	8,24	285	222
	FP 8/8	7,08	9,12	321	251
	FP 8/9	7,96	10,00	358	279
	FP 8/10	8,84	10,88	394	308
	FP 8/11	9,72	11,76	431	336
	FP 8/12	10,60	12,64	468	365
	FP 8/13	11,48	13,52	504	393
	FP 8/14	12,36	14,40	541	422
	FP 8/15	13,24	15,28	577	450
	FP 8/16	14,12	16,16	614	479
	FP 8/17	15,00	17,04	651	507
	FP 8/18	15,88	17,92	687	536
	FP 8/19	16,76	18,80	724	565
	FP 8/20	17,64	19,68	760	593
	FP 8/21	18,52	20,56	797	622
	FP 8/22	19,40	21,44	834	650
	FP 8/23	20,28	22,32	870	679
	FP 8/24	21,16	23,20	907	707
	FP 8/25	22,04	24,08	943	736
	FP 8/26	22,92	24,96	980	764
	FP 8/27	23,80	25,84	1.017	793
	FP 8/28	24,68	26,72	1.053	821
FP 8/29	25,56	27,60	1.090	850	
FP 8/30	26,44	28,48	1.126	879	
FP 8/31	27,32	29,36	1.163	907	
FP 8/32	28,20	30,24	1.200	936	
8,19 m (27 FT) (D)	FP 9/8	7,08	9,38	411	320
	FP 9/9	7,96	10,26	457	357
	FP 9/10	8,84	11,14	503	393
	FP 9/11	9,72	12,02	550	429
	FP 9/12	10,60	12,90	596	465
	FP 9/13	11,48	13,78	642	501
	FP 9/14	12,36	14,66	689	537
	FP 9/15	13,24	15,54	735	573
	FP 9/16	14,12	16,42	781	609
	FP 9/17	15,00	17,30	828	646
	FP 9/18	15,88	18,18	874	682
	FP 9/19	16,76	19,06	920	718
	FP 9/20	17,64	19,94	967	754
	FP 9/21	18,52	20,82	1.013	790
	FP 9/22	19,40	21,70	1.059	826
	FP 9/23	20,28	22,58	1.106	862
	FP 9/24	21,16	23,46	1.152	898
	FP 9/25	22,04	24,34	1.198	935
	FP 9/26	22,92	25,22	1.245	971
	FP 9/27	23,80	26,10	1.291	1.007
FP 9/28	24,68	26,98	1.337	1.043	
FP 9/29	25,56	27,86	1.384	1.079	
FP 9/30	26,44	28,74	1.430	1.115	
FP 9/31	27,32	29,62	1.476	1.151	
FP 9/32	28,20	30,50	1.522	1.188	
9,10 m (30 FT) (D)	FP 10/8	7,08	9,50	512	400
	FP 10/9	7,96	10,38	570	444
	FP 10/10	8,84	11,26	627	489
	FP 10/11	9,72	12,14	684	533
	FP 10/12	10,60	13,02	741	578
	FP 10/13	11,48	13,90	798	623
	FP 10/14	12,36	14,78	855	667
	FP 10/15	13,24	15,66	913	712
	FP 10/16	14,12	16,54	970	756
	FP 10/17	15,00	17,42	1.027	801
	FP 10/18	15,88	18,30	1.084	846
	FP 10/19	16,76	19,18	1.141	890
	FP 10/20	17,64	20,06	1.199	935
	FP 10/21	18,52	20,94	1.256	980
	FP 10/22	19,40	21,82	1.313	1.024
	FP 10/23	20,28	22,70	1.370	1.069
	FP 10/24	21,16	23,58	1.427	1.113
	FP 10/25	22,04	24,46	1.485	1.158
	FP 10/26	22,92	25,34	1.542	1.203
	FP 10/27	23,80	26,22	1.599	1.247
FP 10/28	24,68	27,10	1.656	1.292	
FP 10/29	25,56	27,98	1.713	1.336	
FP 10/30	26,44	28,86	1.770	1.381	
FP 10/31	27,32	29,74	1.828	1.426	
FP 10/32	28,20	30,62	1.885	1.470	

FRAME S.R.L.

Via Bertella 2 - 40064 Ozzano dell'Emilia (BO) - Italy

P +39 051 798 107 | F +39 051 796 300 | E info@framespa.it | framespa.com | aggrowth.com

FRAME TECHNICAL DATASHEET - ENG
FP SILO DIMENSIONS & CAPACITIES



DIAMETER METERS (FEET)	MODEL	HEIGHTS		CAPACITY		
		EAVES m (B)	OVERALL m (C)	m³	Tonnes	
10,01 m (33 FT) (D) FP11	FP 11/8	7,08	9,76	626	489	
	FP 11/9	7,96	10,65	696	542	
	FP 11/10	8,84	11,53	765	596	
	FP 11/11	9,72	12,41	834	650	
	FP 11/12	10,60	13,29	903	704	
	FP 11/13	11,48	14,17	972	758	
	FP 11/14	12,36	15,05	1.041	812	
	FP 11/15	13,24	15,93	1.111	866	
	FP 11/16	14,12	16,81	1.180	920	
	FP 11/17	15,00	17,69	1.249	974	
	FP 11/18	15,88	18,57	1.318	1.028	
	FP 11/19	16,76	19,45	1.387	1.082	
	FP 11/20	17,64	20,33	1.457	1.136	
	FP 11/21	18,52	21,21	1.526	1.190	
	FP 11/22	19,40	22,09	1.595	1.244	
	FP 11/23	20,28	22,97	1.664	1.298	
	FP 11/24	21,16	23,85	1.733	1.352	
	FP 11/25	22,04	24,73	1.803	1.406	
	FP 11/26	22,92	25,61	1.872	1.460	
	FP 11/27	23,80	26,49	1.941	1.514	
	FP 11/28	24,68	27,37	2.010	1.568	
	FP 11/29	25,56	28,25	2.079	1.622	
	FP 11/30	26,44	29,13	2.149	1.676	
	FP 11/31	27,32	30,01	2.218	1.730	
	FP 11/32	28,20	30,89	2.287	1.784	
	10,91 m (36 FT) (D) FP12	FP 12/8	7,08	10,03	753	587
		FP 12/9	7,96	10,91	835	651
		FP 12/10	8,84	11,79	918	716
		FP 12/11	9,72	12,67	1.000	780
		FP 12/12	10,60	13,55	1.082	844
		FP 12/13	11,48	14,43	1.165	908
		FP 12/14	12,36	15,31	1.247	973
FP 12/15		13,24	16,19	1.329	1.037	
FP 12/16		14,12	17,07	1.412	1.101	
FP 12/17		15,00	17,95	1.494	1.165	
FP 12/18		15,88	18,83	1.576	1.230	
FP 12/19		16,76	19,71	1.659	1.294	
FP 12/20		17,64	20,59	1.741	1.358	
FP 12/21		18,52	21,47	1.823	1.422	
FP 12/22		19,40	22,35	1.906	1.487	
FP 12/23		20,28	23,23	1.988	1.551	
FP 12/24		21,16	24,11	2.070	1.615	
FP 12/25		22,04	24,99	2.153	1.679	
FP 12/26		22,92	25,87	2.235	1.743	
FP 12/27		23,80	26,75	2.318	1.808	
FP 12/28		24,68	27,63	2.400	1.872	
FP 12/29		25,56	28,51	2.482	1.936	
FP 12/30		26,44	29,39	2.565	2.000	
FP 12/31		27,32	30,27	2.647	2.065	
FP 12/32		28,20	31,15	2.729	2.129	
11,82 m (39 FT) (D) FP13		FP 13/8	7,08	10,29	892	696
		FP 13/9	7,96	11,17	989	772
		FP 13/10	8,84	12,05	1.086	847
		FP 13/11	9,72	12,93	1.182	922
		FP 13/12	10,60	13,81	1.279	998
		FP 13/13	11,48	14,69	1.376	1.073
		FP 13/14	12,36	15,57	1.472	1.148
	FP 13/15	13,24	16,45	1.569	1.224	
	FP 13/16	14,12	17,33	1.666	1.299	
	FP 13/17	15,00	18,21	1.762	1.375	
	FP 13/18	15,88	19,09	1.859	1.450	
	FP 13/19	16,76	19,97	1.956	1.525	
	FP 13/20	17,64	20,85	2.052	1.601	
	FP 13/21	18,52	21,73	2.149	1.676	
	FP 13/22	19,40	22,61	2.245	1.751	
	FP 13/23	20,28	23,49	2.342	1.827	
	FP 13/24	21,16	24,37	2.439	1.902	
	FP 13/25	22,04	25,25	2.535	1.978	
	FP 13/26	22,92	26,13	2.632	2.053	
	FP 13/27	23,80	27,01	2.729	2.128	
	FP 13/28	24,68	27,89	2.825	2.204	
	FP 13/29	25,56	28,77	2.922	2.279	
	FP 13/30	26,44	29,65	3.019	2.355	
	FP 13/31	27,32	30,53	3.115	2.430	
	FP 13/32	28,20	31,41	3.212	2.505	

DIAMETER METERS (FEET)	MODEL	HEIGHTS		CAPACITY		
		EAVES m (B)	OVERALL m (C)	m³	Tonnes	
12,73 m (42 FT) (D) FP14	FP 14/8	7,08	10,55	1.045	815	
	FP 14/9	7,96	11,43	1.157	903	
	FP 14/10	8,84	12,31	1.269	990	
	FP 14/11	9,72	13,19	1.382	1.078	
	FP 14/12	10,60	14,07	1.494	1.165	
	FP 14/13	11,48	14,95	1.606	1.252	
	FP 14/14	12,36	15,83	1.718	1.340	
	FP 14/15	13,24	16,71	1.830	1.427	
	FP 14/16	14,12	17,59	1.942	1.515	
	FP 14/17	15,00	18,47	2.054	1.602	
	FP 14/18	15,88	19,35	2.166	1.690	
	FP 14/19	16,76	20,23	2.278	1.777	
	FP 14/20	17,64	21,11	2.390	1.864	
	FP 14/21	18,52	21,99	2.502	1.952	
	FP 14/22	19,40	22,87	2.615	2.039	
	FP 14/23	20,28	23,75	2.727	2.127	
	FP 14/24	21,16	24,63	2.839	2.214	
	FP 14/25	22,04	25,51	2.951	2.302	
	FP 14/26	22,92	26,39	3.063	2.389	
	FP 14/27	23,80	27,27	3.175	2.476	
	FP 14/28	24,68	28,15	3.287	2.564	
	FP 14/29	25,56	29,03	3.399	2.651	
	FP 14/30	26,44	29,91	3.511	2.739	
	FP 14/31	27,32	30,79	3.623	2.826	
	FP 14/32	28,20	31,68	3.735	2.914	
	13,64 m (45 FT) (D) FP15	FP 15/8	7,08	10,82	1.212	945
		FP 15/9	7,96	11,70	1.340	1.046
		FP 15/10	8,84	12,58	1.469	1.146
		FP 15/11	9,72	13,46	1.598	1.246
		FP 15/12	10,60	14,34	1.726	1.347
		FP 15/13	11,48	15,22	1.855	1.447
		FP 15/14	12,36	16,10	1.984	1.547
FP 15/15		13,24	16,98	2.112	1.648	
FP 15/16		14,12	17,86	2.241	1.748	
FP 15/17		15,00	18,74	2.370	1.848	
FP 15/18		15,88	19,62	2.498	1.949	
FP 15/19		16,76	20,50	2.627	2.049	
FP 15/20		17,64	21,38	2.756	2.150	
FP 15/21		18,52	22,26	2.884	2.250	
FP 15/22		19,40	23,14	3.013	2.350	
FP 15/23		20,28	24,02	3.142	2.451	
FP 15/24		21,16	24,90	3.270	2.551	
FP 15/25		22,04	25,78	3.399	2.651	
FP 15/26		22,92	26,66	3.528	2.752	
FP 15/27		23,80	27,54	3.656	2.852	
FP 15/28		24,68	28,42	3.785	2.952	
FP 15/29		25,56	29,30	3.914	3.053	
FP 15/30		26,44	30,18	4.042	3.153	
FP 15/31		27,32	31,06	4.171	3.254	
FP 15/32		28,20	31,94	4.300	3.354	
14,55 m (48 FT) (D) FP16		FP 16/8	7,08	11,08	1.392	1.086
		FP 16/9	7,96	11,96	1.539	1.200
		FP 16/10	8,84	12,84	1.685	1.314
		FP 16/11	9,72	13,72	1.831	1.428
		FP 16/12	10,60	14,60	1.978	1.543
		FP 16/13	11,48	15,48	2.124	1.657
		FP 16/14	12,36	16,36	2.271	1.771
	FP 16/15	13,24	17,24	2.417	1.885	
	FP 16/16	14,12	18,12	2.563	1.999	
	FP 16/17	15,00	19,00	2.710	2.114	
	FP 16/18	15,88	19,88	2.856	2.228	
	FP 16/19	16,76	20,76	3.002	2.342	
	FP 16/20	17,64	21,64	3.149	2.456	
	FP 16/21	18,52	22,52	3.295	2.570	
	FP 16/22	19,40	23,40	3.442	2.685	
	FP 16/23	20,28	24,28	3.588	2.799	
	FP 16/24	21,16	25,16	3.734	2.913	
	FP 16/25	22,04	26,04	3.881	3.027	
	FP 16/26	22,92	26,92	4.027	3.141	
	FP 16/27	23,80	27,80	4.174	3.255	
	FP 16/28	24,68	28,68	4.320	3.370	
	FP 16/29	25,56	29,56	4.466	3.484	
	FP 16/30	26,44	30,44	4.613	3.598	
	FP 16/31	27,32	31,32	4.759	3.712	
	FP 16/32	28,20	32,20	4.906	3.826	

FRAME S.R.L.

Via Bertella 2 - 40064 Ozzano dell'Emilia (BO) - Italy

P +39 051 798 107 | F +39 051 796 300 | E info@framespa.it | framespa.com | aggrowth.com

FRAME TECHNICAL DATASHEET - ENG
FP SILO DIMENSIONS & CAPACITIES



DIAMETER METERS (FEET)	MODEL	HEIGHTS		CAPACITY		
		EAVES m (B)	OVERALL m (C)	m ³	Tonnes	
15,46 m (51 FT) (D) FP17	FP 17/8	7,08	11,28	1.587	1.238	
	FP 17/9	7,96	12,16	1.752	1.367	
	FP 17/10	8,84	13,04	1.917	1.495	
	FP 17/11	9,72	13,92	2.083	1.624	
	FP 17/12	10,60	14,80	2.248	1.753	
	FP 17/13	11,48	15,68	2.413	1.882	
	FP 17/14	12,36	16,56	2.578	2.011	
	FP 17/15	13,24	17,44	2.744	2.140	
	FP 17/16	14,12	18,32	2.909	2.269	
	FP 17/17	15,00	19,20	3.074	2.398	
	FP 17/18	15,88	20,08	3.239	2.527	
	FP 17/19	16,76	20,96	3.405	2.656	
	FP 17/20	17,64	21,84	3.570	2.785	
	FP 17/21	18,52	22,72	3.735	2.913	
	FP 17/22	19,40	23,60	3.900	3.042	
	FP 17/23	20,28	24,48	4.066	3.171	
	FP 17/24	21,16	25,36	4.231	3.300	
	FP 17/25	22,04	26,24	4.396	3.429	
	FP 17/26	22,92	27,12	4.562	3.558	
	FP 17/27	23,80	28,00	4.727	3.687	
	FP 17/28	24,68	28,88	4.892	3.816	
	FP 17/29	25,56	29,76	5.057	3.945	
	FP 17/30	26,44	30,64	5.223	4.074	
	FP 17/31	27,32	31,52	5.388	4.203	
	FP 17/32	28,20	32,40	5.553	4.331	
	16,37 m (54 FT) (D) FP18	FP 18/8	7,08	11,54	1.796	1.401
		FP 18/9	7,96	12,42	1.981	1.545
		FP 18/10	8,84	13,30	2.166	1.690
		FP 18/11	9,72	14,18	2.352	1.834
		FP 18/12	10,60	15,06	2.537	1.979
		FP 18/13	11,48	15,94	2.722	2.123
		FP 18/14	12,36	16,82	2.908	2.268
FP 18/15		13,24	17,70	3.093	2.412	
FP 18/16		14,12	18,58	3.278	2.557	
FP 18/17		15,00	19,46	3.463	2.701	
FP 18/18		15,88	20,35	3.649	2.846	
FP 18/19		16,76	21,23	3.834	2.990	
FP 18/20		17,64	22,11	4.019	3.135	
FP 18/21		18,52	22,99	4.205	3.280	
FP 18/22		19,40	23,87	4.390	3.424	
FP 18/23		20,28	24,75	4.575	3.569	
FP 18/24		21,16	25,63	4.760	3.713	
FP 18/25		22,04	26,51	4.946	3.858	
FP 18/26		22,92	27,39	5.131	4.002	
FP 18/27		23,80	28,27	5.316	4.147	
FP 18/28		24,68	29,15	5.502	4.291	
FP 18/29		25,56	30,03	5.687	4.436	
FP 18/30		26,44	30,91	5.872	4.580	
FP 18/31		27,32	31,79	6.057	4.725	
FP 18/32		28,20	32,67	6.243	4.869	
17,28 m (57 FT) (D) FP19		FP 19/8	7,08	11,87	2.020	1.575
		FP 19/9	7,96	12,75	2.226	1.736
		FP 19/10	8,84	13,63	2.433	1.898
		FP 19/11	9,72	14,51	2.639	2.059
		FP 19/12	10,60	15,39	2.846	2.220
		FP 19/13	11,48	16,27	3.052	2.381
		FP 19/14	12,36	17,15	3.258	2.542
	FP 19/15	13,24	18,03	3.465	2.703	
	FP 19/16	14,12	18,91	3.671	2.864	
	FP 19/17	15,00	19,79	3.878	3.025	
	FP 19/18	15,88	20,67	4.084	3.186	
	FP 19/19	16,76	21,55	4.291	3.347	
	FP 19/20	17,64	22,43	4.497	3.508	
	FP 19/21	18,52	23,31	4.704	3.669	
	FP 19/22	19,40	24,19	4.910	3.830	
	FP 19/23	20,28	25,07	5.116	3.991	
	FP 19/24	21,16	25,95	5.323	4.152	
	FP 19/25	22,04	26,83	5.529	4.313	
	FP 19/26	22,92	27,71	5.736	4.474	
	FP 19/27	23,80	28,59	5.942	4.635	
	FP 19/28	24,68	29,47	6.149	4.796	
	FP 19/29	25,56	30,35	6.355	4.957	
	FP 19/30	26,44	31,23	6.562	5.118	
	FP 19/31	27,32	32,11	6.768	5.279	
	FP 19/32	28,20	32,99	6.974	5.440	

DIAMETER METERS (FEET)	MODEL	HEIGHTS		CAPACITY		
		EAVES m (B)	OVERALL m (C)	m ³	Tonnes	
18,19m (60 FT) (D) FP20	FP 20/8	7,08	12,24	2.259	1.762	
	FP 20/9	7,96	13,12	2.488	1.940	
	FP 20/10	8,84	14,00	2.716	2.119	
	FP 20/11	9,72	14,88	2.945	2.297	
	FP 20/12	10,60	15,76	3.174	2.476	
	FP 20/13	11,48	16,64	3.403	2.654	
	FP 20/14	12,36	17,52	3.631	2.833	
	FP 20/15	13,24	18,40	3.860	3.011	
	FP 20/16	14,12	19,28	4.089	3.189	
	FP 20/17	15,00	20,16	4.318	3.368	
	FP 20/18	15,88	21,04	4.546	3.546	
	FP 20/19	16,76	21,92	4.775	3.725	
	FP 20/20	17,64	22,80	5.004	3.903	
	FP 20/21	18,52	23,68	5.233	4.081	
	FP 20/22	19,40	24,56	5.461	4.260	
	FP 20/23	20,28	25,44	5.690	4.438	
	FP 20/24	21,16	26,32	5.919	4.617	
	FP 20/25	22,04	27,20	6.148	4.795	
	FP 20/26	22,92	28,08	6.376	4.974	
	FP 20/27	23,80	28,96	6.605	5.152	
	FP 20/28	24,68	29,84	6.834	5.330	
	FP 20/29	25,56	30,72	7.063	5.509	
	FP 20/30	26,44	31,60	7.291	5.687	
	FP 20/31	27,32	32,48	7.520	5.866	
	FP 20/32	28,20	33,36	7.749	6.044	
	19,10 m (63 FT) (D) FP21	FP 21/8	7,08	12,50	2.514	1.961
		FP 21/9	7,96	13,38	2.766	2.157
		FP 21/10	8,84	14,26	3.018	2.354
		FP 21/11	9,72	15,14	3.270	2.551
		FP 21/12	10,60	16,02	3.522	2.747
		FP 21/13	11,48	16,90	3.775	2.944
		FP 21/14	12,36	17,78	4.027	3.141
FP 21/15		13,24	18,66	4.279	3.338	
FP 21/16		14,12	19,54	4.531	3.534	
FP 21/17		15,00	20,42	4.783	3.731	
FP 21/18		15,88	21,30	5.036	3.928	
FP 21/19		16,76	22,18	5.288	4.124	
FP 21/20		17,64	23,06	5.540	4.321	
FP 21/21		18,52	23,94	5.792	4.518	
FP 21/22		19,40	24,82	6.044	4.715	
FP 21/23		20,28	25,70	6.297	4.911	
FP 21/24		21,16	26,58	6.549	5.108	
FP 21/25		22,04	27,46	6.801	5.305	
FP 21/26		22,92	28,34	7.053	5.501	
FP 21/27		23,80	29,22	7.305	5.698	
FP 21/28		24,68	30,10	7.557	5.895	
FP 21/29		25,56	30,98	7.810	6.092	
FP 21/30		26,44	31,86	8.062	6.288	
FP 21/31		27,32	32,74	8.314	6.485	
FP 21/32		28,20	33,62	8.566	6.682	
20,01 m (66 FT) (D) FP22		FP 22/8	7,08	12,76	2.784	2.172
		FP 22/9	7,96	13,64	3.061	2.387
		FP 22/10	8,84	14,52	3.338	2.603
		FP 22/11	9,72	15,40	3.614	2.819
		FP 22/12	10,60	16,28	3.891	3.035
		FP 22/13	11,48	17,16	4.168	3.251
		FP 22/14	12,36	18,04	4.445	3.467
	FP 22/15	13,24	18,92	4.722	3.683	
	FP 22/16	14,12	19,80	4.998	3.899	
	FP 22/17	15,00	20,68	5.275	4.115	
	FP 22/18	15,88	21,56	5.552	4.330	
	FP 22/19	16,76	22,44	5.829	4.546	
	FP 22/20	17,64	23,32	6.105	4.762	
	FP 22/21	18,52	24,20	6.382	4.978	
	FP 22/22	19,40	25,08	6.659	5.194	
	FP 22/23	20,28	25,96	6.936	5.410	
	FP 22/24	21,16	26,84	7.213	5.626	
	FP 22/25	22,04	27,72	7.489	5.842	
	FP 22/26	22,92	28,60	7.766	6.058	
	FP 22/27	23,80	29,49	8.043	6.273	
	FP 22/28	24,68	30,37	8.320	6.489	
	FP 22/29	25,56	31,25	8.597	6.705	
	FP 22/30	26,44	32,13	8.873	6.921	
	FP 22/31	27,32	33,01	9.150	7.137	
	FP 22/32	28,20	33,89	9.427	7.353	

FRAME S.R.L.

Via Bertella 2 - 40064 Ozzano dell'Emilia (BO) - Italy

P +39 051 798 107 | F +39 051 796 300 | E info@framespa.it | framespa.com | aggrowth.com

FRAME TECHNICAL DATASHEET - ENG

FP SILO DIMENSIONS & CAPACITIES



DIAMETER METERS (FEET)	MODEL	HEIGHTS		CAPACITY				
		EAVES m (B)	OVERALL m (C)	m³	Tonnes			
20,92 m (69 FT) (D)	FP23	FP 23/8	7,08	13,03	3.071	2.395		
		FP 23/9	7,96	13,91	3.373	2.631		
		FP 23/10	8,84	14,79	3.676	2.867		
		FP 23/11	9,72	15,67	3.978	3.103		
		FP 23/12	10,60	16,55	4.281	3.339		
		FP 23/13	11,48	17,43	4.583	3.575		
		FP 23/14	12,36	18,31	4.886	3.811		
		FP 23/15	13,24	19,19	5.188	4.047		
		FP 23/16	14,12	20,07	5.491	4.283		
		FP 23/17	15,00	20,95	5.793	4.519		
		FP 23/18	15,88	21,83	6.096	4.755		
		FP 23/19	16,76	22,71	6.398	4.991		
		FP 23/20	17,64	23,59	6.701	5.227		
		FP 23/21	18,52	24,47	7.003	5.463		
		FP 23/22	19,40	25,35	7.306	5.699		
		FP 23/23	20,28	26,23	7.608	5.935		
		FP 23/24	21,16	27,11	7.911	6.170		
		FP 23/25	22,04	27,99	8.213	6.406		
		FP 23/26	22,92	28,87	8.516	6.642		
		FP 23/27	23,80	29,75	8.818	6.878		
		FP 23/28	24,68	30,63	9.121	7.114		
		FP 23/29	25,56	31,51	9.423	7.350		
		FP 23/30	26,44	32,39	9.726	7.586		
		FP 23/31	27,32	33,27	10.029	7.822		
		FP 23/32	28,20	34,15	10.331	8.058		
		21,83 m (72 FT) (D)	FP24	FP 24/8	7,08	13,29	3.374	2.631
				FP 24/9	7,96	14,17	3.703	2.888
				FP 24/10	8,84	15,05	4.032	3.145
				FP 24/11	9,72	15,93	4.362	3.402
				FP 24/12	10,60	16,81	4.691	3.659
				FP 24/13	11,48	17,69	5.021	3.916
				FP 24/14	12,36	18,57	5.350	4.173
FP 24/15	13,24			19,45	5.679	4.430		
FP 24/16	14,12			20,33	6.009	4.687		
FP 24/17	15,00			21,21	6.338	4.944		
FP 24/18	15,88			22,09	6.668	5.201		
FP 24/19	16,76			22,97	6.997	5.458		
FP 24/20	17,64			23,85	7.326	5.715		
FP 24/21	18,52			24,73	7.656	5.971		
FP 24/22	19,40			25,61	7.985	6.228		
FP 24/23	20,28			26,49	8.315	6.485		
FP 24/24	21,16			27,37	8.644	6.742		
FP 24/25	22,04			28,25	8.973	6.999		
FP 24/26	22,92			29,13	9.303	7.256		
FP 24/27	23,80			30,01	9.632	7.513		
FP 24/28	24,68			30,89	9.962	7.770		
FP 24/29	25,56			31,77	10.291	8.027		
FP 24/30	26,44			32,65	10.620	8.284		
FP 24/31	27,32			33,53	10.950	8.541		
FP 24/32	28,20			34,41	11.279	8.798		
22,74 m (75 FT) (D)	FP25			FP 25/8	7,08	13,55	3.693	2.881
				FP 25/9	7,96	14,43	4.051	3.160
				FP 25/10	8,84	15,31	4.408	3.438
				FP 25/11	9,72	16,19	4.766	3.717
				FP 25/12	10,60	17,07	5.123	3.996
				FP 25/13	11,48	17,95	5.480	4.275
				FP 25/14	12,36	18,83	5.838	4.554
		FP 25/15	13,24	19,71	6.195	4.832		
		FP 25/16	14,12	20,59	6.553	5.111		
		FP 25/17	15,00	21,47	6.910	5.390		
		FP 25/18	15,88	22,35	7.267	5.669		
		FP 25/19	16,76	23,23	7.625	5.947		
		FP 25/20	17,64	24,11	7.982	6.226		
		FP 25/21	18,52	24,99	8.340	6.505		
		FP 25/22	19,40	25,87	8.697	6.784		
		FP 25/23	20,28	26,75	9.055	7.063		
		FP 25/24	21,16	27,63	9.412	7.341		
		FP 25/25	22,04	28,51	9.769	7.620		
		FP 25/26	22,92	29,39	10.127	7.899		
		FP 25/27	23,80	30,27	10.484	8.178		
		FP 25/28	24,68	31,15	10.842	8.456		
		FP 25/29	25,56	32,03	11.199	8.735		
		FP 25/30	26,44	32,91	11.556	9.014		
		FP 25/31	27,32	33,79	11.914	9.293		
		FP 25/32	28,20	34,67	12.271	9.572		

DIAMETER METERS (FEET)	MODEL	HEIGHTS		CAPACITY				
		EAVES m (B)	OVERALL m (C)	m³	Tonnes			
23,65 m (78 FT) (D)	FP26	FP 26/8	7,08	13,81	4.030	3.143		
		FP 26/9	7,96	14,69	4.417	3.445		
		FP 26/10	8,84	15,57	4.803	3.747		
		FP 26/11	9,72	16,45	5.190	4.048		
		FP 26/12	10,60	17,33	5.576	4.350		
		FP 26/13	11,48	18,21	5.963	4.651		
		FP 26/14	12,36	19,09	6.350	4.953		
		FP 26/15	13,24	19,97	6.736	5.254		
		FP 26/16	14,12	20,85	7.123	5.556		
		FP 26/17	15,00	21,73	7.509	5.857		
		FP 26/18	15,88	22,61	7.896	6.159		
		FP 26/19	16,76	23,49	8.283	6.460		
		FP 26/20	17,64	24,37	8.669	6.762		
		FP 26/21	18,52	25,25	9.056	7.063		
		FP 26/22	19,40	26,13	9.442	7.365		
		FP 26/23	20,28	27,01	9.829	7.666		
		FP 26/24	21,16	27,90	10.215	7.968		
		FP 26/25	22,04	28,78	10.602	8.270		
		FP 26/26	22,92	29,66	10.989	8.571		
		FP 26/27	23,80	30,54	11.375	8.873		
		FP 26/28	24,68	31,42	11.762	9.174		
		FP 26/29	25,56	32,30	12.148	9.476		
		FP 26/30	26,44	33,18	12.535	9.777		
		FP 26/31	27,32	34,06	12.921	10.079		
		FP 26/32	28,20	34,94	13.308	10.380		
		24,56 m (81 FT) (D)	FP27	FP 27/8	7,08	14,08	4.384	3.420
				FP 27/9	7,96	14,96	4.801	3.745
				FP 27/10	8,84	15,84	5.218	4.070
				FP 27/11	9,72	16,72	5.635	4.395
				FP 27/12	10,60	17,60	6.052	4.720
				FP 27/13	11,48	18,48	6.469	5.046
				FP 27/14	12,36	19,36	6.886	5.371
FP 27/15	13,24			20,24	7.302	5.696		
FP 27/16	14,12			21,12	7.719	6.021		
FP 27/17	15,00			22,00	8.136	6.346		
FP 27/18	15,88			22,88	8.553	6.671		
FP 27/19	16,76			23,76	8.970	6.997		
FP 27/20	17,64			24,64	9.387	7.322		
FP 27/21	18,52			25,52	9.804	7.647		
FP 27/22	19,40			26,40	10.221	7.972		
FP 27/23	20,28			27,28	10.638	8.297		
FP 27/24	21,16			28,16	11.055	8.623		
FP 27/25	22,04			29,04	11.471	8.948		
FP 27/26	22,92			29,92	11.888	9.273		
FP 27/27	23,80			30,80	12.305	9.598		
FP 27/28	24,68			31,68	12.722	9.923		
FP 27/29	25,56			32,56	13.139	10.248		
FP 27/30	26,44			33,44	13.556	10.574		
FP 27/31	27,32			34,32	13.973	10.899		
FP 27/32	28,20			35,20	14.390	11.224		
25,47 m (84 FT) (D)	FP28			FP 28/8	7,08	14,34	4.756	3.710
				FP 28/9	7,96	15,22	5.204	4.059
				FP 28/10	8,84	16,10	5.653	4.409
				FP 28/11	9,72	16,98	6.101	4.759
				FP 28/12	10,60	17,86	6.549	5.109
				FP 28/13	11,48	18,74	6.998	5.458
				FP 28/14	12,36	19,62	7.446	5.808
		FP 28/15	13,24	20,50	7.894	6.158		
		FP 28/16	14,12	21,38	8.343	6.507		
		FP 28/17	15,00	22,26	8.791	6.857		
		FP 28/18	15,88	23,14	9.240	7.207		
		FP 28/19	16,76	24,02	9.688	7.557		
		FP 28/20	17,64	24,90	10.136	7.906		
		FP 28/21	18,52	25,78	10.585	8.256		
		FP 28/22	19,40	26,66	11.033	8.606		
		FP 28/23	20,28	27,54	11.481	8.955		
		FP 28/24	21,16	28,42	11.930	9.305		
		FP 28/25	22,04	29,30	12.378	9.655		
		FP 28/26	22,92	30,18	12.826	10.004		
		FP 28/27	23,80	31,06	13.275	10.354		
		FP 28/28	24,68	31,94	13.723	10.704		
		FP 28/29	25,56	32,82	14.171	11.054		
		FP 28/30	26,44	33,70	14.620	11.403		
		FP 28/31	27,32	34,58	15.068	11.753		
		FP 28/32	28,20	35,46	15.516	12.103		

FRAME S.R.L.

Via Bertella 2 - 40064 Ozzano dell'Emilia (BO) - Italy

P +39 051 798 107 | F +39 051 796 300 | E info@framespa.it | framespa.com | aggrowth.com

FRAME TECHNICAL DATASHEET - ENG
FP SILO DIMENSIONS & CAPACITIES



DIAMETER METERS (FEET)	MODEL	HEIGHTS		CAPACITY		
		EAVES m (B)	OVERALL m (C)	m³	Tonnes	
26,38 m (87 FT) (D) FP29	FP 29/8	7,08	14,60	5.146	4.014	
	FP 29/9	7,96	15,48	5.627	4.389	
	FP 29/10	8,84	16,36	6.108	4.764	
	FP 29/11	9,72	17,24	6.589	5.139	
	FP 29/12	10,60	18,12	7.070	5.514	
	FP 29/13	11,48	19,00	7.551	5.889	
	FP 29/14	12,36	19,88	8.032	6.265	
	FP 29/15	13,24	20,76	8.513	6.640	
	FP 29/16	14,12	21,64	8.993	7.015	
	FP 29/17	15,00	22,52	9.474	7.390	
	FP 29/18	15,88	23,40	9.955	7.765	
	FP 29/19	16,76	24,28	10.436	8.140	
	FP 29/20	17,64	25,16	10.917	8.515	
	FP 29/21	18,52	26,04	11.398	8.891	
	FP 29/22	19,40	26,92	11.879	9.266	
	FP 29/23	20,28	27,80	12.360	9.641	
	FP 29/24	21,16	28,68	12.841	10.016	
	FP 29/25	22,04	29,56	13.322	10.391	
	FP 29/26	22,92	30,44	13.803	10.766	
	FP 29/27	23,80	31,32	14.284	11.141	
	FP 29/28	24,68	32,20	14.765	11.516	
	FP 29/29	25,56	33,08	15.246	11.892	
	FP 29/30	26,44	33,96	15.727	12.267	
	FP 29/31	27,32	34,84	16.208	12.642	
	FP 29/32	28,20	35,72	16.688	13.017	
	27,29 m (90 FT) (D) FP30	FP 30/8	7,08	14,86	5.554	4.332
		FP 30/9	7,96	15,74	6.069	4.734
		FP 30/10	8,84	16,62	6.583	5.135
		FP 30/11	9,72	17,50	7.098	5.537
		FP 30/12	10,60	18,38	7.613	5.938
		FP 30/13	11,48	19,26	8.127	6.339
		FP 30/14	12,36	20,14	8.642	6.741
FP 30/15		13,24	21,02	9.157	7.142	
FP 30/16		14,12	21,90	9.672	7.544	
FP 30/17		15,00	22,78	10.186	7.945	
FP 30/18		15,88	23,66	10.701	8.347	
FP 30/19		16,76	24,54	11.216	8.748	
FP 30/20		17,64	25,42	11.730	9.150	
FP 30/21		18,52	26,31	12.245	9.551	
FP 30/22		19,40	27,19	12.760	9.952	
FP 30/23		20,28	28,07	13.274	10.354	
FP 30/24		21,16	28,95	13.789	10.755	
FP 30/25		22,04	29,83	14.304	11.157	
FP 30/26		22,92	30,71	14.818	11.558	
FP 30/27		23,80	31,59	15.333	11.960	
FP 30/28		24,68	32,47	15.848	12.361	
FP 30/29		25,56	33,35	16.362	12.763	
FP 30/30		26,44	34,23	16.877	13.164	
FP 30/31		27,32	35,11	17.392	13.566	
FP 30/32		28,20	35,99	17.906	13.967	
28,20 m (93 FT) (D) FP31		FP 31/8	7,08	15,13	5.981	4.665
		FP 31/9	7,96	16,01	6.530	5.094
		FP 31/10	8,84	16,89	7.080	5.522
		FP 31/11	9,72	17,77	7.630	5.951
		FP 31/12	10,60	18,65	8.179	6.380
		FP 31/13	11,48	19,53	8.729	6.808
		FP 31/14	12,36	20,41	9.278	7.237
	FP 31/15	13,24	21,29	9.828	7.666	
	FP 31/16	14,12	22,17	10.377	8.094	
	FP 31/17	15,00	23,05	10.927	8.523	
	FP 31/18	15,88	23,93	11.476	8.952	
	FP 31/19	16,76	24,81	12.026	9.380	
	FP 31/20	17,64	25,69	12.576	9.809	
	FP 31/21	18,52	26,57	13.125	10.238	
	FP 31/22	19,40	27,45	13.675	10.666	
	FP 31/23	20,28	28,33	14.224	11.095	
	FP 31/24	21,16	29,21	14.774	11.524	
	FP 31/25	22,04	30,09	15.323	11.952	
	FP 31/26	22,92	30,97	15.873	12.381	
	FP 31/27	23,80	31,85	16.423	12.810	
	FP 31/28	24,68	32,73	16.972	13.238	
	FP 31/29	25,56	33,61	17.522	13.667	
	FP 31/30	26,44	34,49	18.071	14.096	
	FP 31/31	27,32	35,37	18.621	14.524	
	FP 31/32	28,20	36,25	19.170	14.953	

DIAMETER METERS (FEET)	MODEL	HEIGHTS		CAPACITY		
		EAVES m (B)	OVERALL m (C)	m³	Tonnes	
29,11 m (96 FT) (D) FP32	FP 32/8	7,08	15,39	6.427	5.013	
	FP 32/9	7,96	16,27	7.012	5.469	
	FP 32/10	8,84	17,15	7.598	5.926	
	FP 32/11	9,72	18,03	8.183	6.383	
	FP 32/12	10,60	18,91	8.769	6.840	
	FP 32/13	11,48	19,79	9.355	7.297	
	FP 32/14	12,36	20,67	9.940	7.753	
	FP 32/15	13,24	21,55	10.526	8.210	
	FP 32/16	14,12	22,43	11.111	8.667	
	FP 32/17	15,00	23,31	11.697	9.124	
	FP 32/18	15,88	24,19	12.282	9.580	
	FP 32/19	16,76	25,07	12.868	10.037	
	FP 32/20	17,64	25,95	13.454	10.494	
	FP 32/21	18,52	26,83	14.039	10.951	
	FP 32/22	19,40	27,71	14.625	11.407	
	FP 32/23	20,28	28,59	15.210	11.864	
	FP 32/24	21,16	29,47	15.796	12.321	
	FP 32/25	22,04	30,35	16.382	12.778	
	FP 32/26	22,92	31,23	16.967	13.234	
	FP 32/27	23,80	32,11	17.553	13.691	
	FP 32/28	24,68	32,99	18.138	14.148	
	FP 32/29	25,56	33,87	18.724	14.605	
	FP 32/30	26,44	34,75	19.310	15.061	
	FP 32/31	27,32	35,63	19.895	15.518	
	FP 32/32	28,20	36,51	20.481	15.975	
	30,02 m (99 FT) (D) FP33	FP 33/8	7,08	15,59	6.892	5.375
		FP 33/9	7,96	16,47	7.514	5.861
		FP 33/10	8,84	17,35	8.137	6.347
		FP 33/11	9,72	18,23	8.760	6.833
		FP 33/12	10,60	19,11	9.383	7.318
		FP 33/13	11,48	19,99	10.005	7.804
		FP 33/14	12,36	20,87	10.628	8.290
FP 33/15		13,24	21,75	11.251	8.776	
FP 33/16		14,12	22,63	11.874	9.261	
FP 33/17		15,00	23,51	12.496	9.747	
FP 33/18		15,88	24,39	13.119	10.233	
FP 33/19		16,76	25,27	13.742	10.719	
FP 33/20		17,64	26,15	14.365	11.204	
FP 33/21		18,52	27,03	14.987	11.690	
FP 33/22		19,40	27,91	15.610	12.176	
FP 33/23		20,28	28,79	16.233	12.662	
FP 33/24		21,16	29,67	16.856	13.147	
FP 33/25		22,04	30,55	17.478	13.633	
FP 33/26		22,92	31,43	18.101	14.119	
FP 33/27		23,80	32,31	18.724	14.605	
FP 33/28		24,68	33,19	19.347	15.090	
FP 33/29		25,56	34,07	19.970	15.576	
FP 33/30		26,44	34,95	20.592	16.062	
FP 33/31		27,32	35,83	21.215	16.548	
FP 33/32		28,20	36,71	21.838	17.034	
30,93 m (102 FT) (D) FP34		FP 34/8	7,08	15,86	7.376	5.753
		FP 34/9	7,96	16,74	8.037	6.269
		FP 34/10	8,84	17,62	8.698	6.785
		FP 34/11	9,72	18,50	9.359	7.300
		FP 34/12	10,60	19,38	10.020	7.816
		FP 34/13	11,48	20,26	10.681	8.332
		FP 34/14	12,36	21,14	11.343	8.847
	FP 34/15	13,24	22,02	12.004	9.363	
	FP 34/16	14,12	22,90	12.665	9.878	
	FP 34/17	15,00	23,78	13.326	10.394	
	FP 34/18	15,88	24,66	13.987	10.910	
	FP 34/19	16,76	25,54	14.648	11.425	
	FP 34/20	17,64	26,42	15.309	11.941	
	FP 34/21	18,52	27,30	15.970	12.457	
	FP 34/22	19,40	28,18	16.631	12.972	
	FP 34/23	20,28	29,06	17.292	13.488	
	FP 34/24	21,16	29,94	17.953	14.004	
	FP 34/25	22,04	30,82	18.614	14.519	
	FP 34/26	22,92	31,70	19.275	15.035	
	FP 34/27	23,80	32,58	19.937	15.551	
	FP 34/28	24,68	33,46	20.598	16.066	
	FP 34/29	25,56	34,34	21.259	16.582	
	FP 34/30	26,44	35,22	21.920	17.097	
	FP 34/31	27,32	36,10	22.581	17.613	
	FP 34/32	28,20	36,98	23.242	18.129	

FRAME S.R.L.

Via Bertella 2 - 40064 Ozzano dell'Emilia (BO) - Italy

P +39 051 798 107 | F +39 051 796 300 | E info@framespa.it | framespa.com | aggrowth.com

57x0002 Rev. 1 - Datasheet - Aeration System - ENG - FRAME reserves the right to change specification without prior notice.




All AGI FRAME products are CE marked

FRAME TECHNICAL DATASHEET - ENG
FP SILO DIMENSIONS & CAPACITIES



DIAMETER METERS (FEET)	MODEL	HEIGHTS		CAPACITY	
		EAVES m (B)	OVERALL m (C)	m ³	Tonnes
31,83 m (105 FT) (D) FP35	FP 35/8	7,08	16,12	7.881	6.147
	FP 35/9	7,96	17,00	8.581	6.693
	FP 35/10	8,84	17,88	9.282	7.240
	FP 35/11	9,72	18,76	9.982	7.786
	FP 35/12	10,60	19,64	10.683	8.332
	FP 35/13	11,48	20,52	11.383	8.879
	FP 35/14	12,36	21,40	12.084	9.425
	FP 35/15	13,24	22,28	12.784	9.972
	FP 35/16	14,12	23,16	13.485	10.518
	FP 35/17	15,00	24,04	14.185	11.065
	FP 35/18	15,88	24,92	14.886	11.611
	FP 35/19	16,76	25,80	15.586	12.157
	FP 35/20	17,64	26,68	16.287	12.704
	FP 35/21	18,52	27,56	16.987	13.250
	FP 35/22	19,40	28,44	17.688	13.797
	FP 35/23	20,28	29,32	18.389	14.343
	FP 35/24	21,16	30,20	19.089	14.889
	FP 35/25	22,04	31,08	19.790	15.436
	FP 35/26	22,92	31,96	20.490	15.982
	FP 35/27	23,80	32,84	21.191	16.529
	FP 35/28	24,68	33,72	21.891	17.075
	FP 35/29	25,56	34,60	22.592	17.622
	FP 35/30	26,44	35,48	23.292	18.168
	FP 35/31	27,32	36,36	23.993	18.714
FP 35/32	28,20	37,24	24.693	19.261	
32,74 m (108 FT) (D) FP36	FP 36/8	7,08	16,38	8.405	6.556
	FP 36/9	7,96	17,26	9.146	7.134
	FP 36/10	8,84	18,14	9.887	7.712
	FP 36/11	9,72	19,02	10.629	8.290
	FP 36/12	10,60	19,90	11.370	8.868
	FP 36/13	11,48	20,78	12.111	9.446
	FP 36/14	12,36	21,66	12.852	10.025
	FP 36/15	13,24	22,54	13.593	10.603
	FP 36/16	14,12	23,42	14.334	11.181
	FP 36/17	15,00	24,30	15.075	11.759
	FP 36/18	15,88	25,18	15.817	12.337
	FP 36/19	16,76	26,06	16.558	12.915
	FP 36/20	17,64	26,94	17.299	13.493
	FP 36/21	18,52	27,82	18.040	14.071
	FP 36/22	19,40	28,70	18.781	14.649
	FP 36/23	20,28	29,58	19.522	15.227
	FP 36/24	21,16	30,46	20.263	15.805
	FP 36/25	22,04	31,34	21.004	16.384
	FP 36/26	22,92	32,22	21.746	16.962
	FP 36/27	23,80	33,10	22.487	17.540
	FP 36/28	24,68	33,98	23.228	18.118
	FP 36/29	25,56	34,86	23.969	18.696
	FP 36/30	26,44	35,74	24.710	19.274
	FP 36/31	27,32	36,62	25.451	19.852
FP 36/32	28,20	37,50	26.192	20.430	

Legend & Details



NOTE:

The maximum capacity of the silos is calculated assuming an angle of repose of 28° and based on uncompacted cereals weight of 780 kg/m³.
 Silos are designed to meet:
 - 144 km/h wind speed
 - 75 kg/m² of snow on the roof
 Standard roof peak capacity varies from 250 to 15.000 kg, depending on silo diameter.
 AGI FRAME reserves right to change specifications without prior notice.

FRAME S.R.L.

Via Bertella 2 - 40064 Ozzano dell'Emilia (BO) – Italy

P +39 051 798 107 | **F** +39 051 796 300 | **E** info@framespa.it | **framespa.com** | **aggrowth.com**

DIAMETER METERS (FEET)	MODEL	HEIGHTS		CAPACITY	
		EAVES m (B)	OVERALL m (C)	m³	Tonnes
3,64 m (12 FT) (D) FC45 4 HOPPER FLANGED OUTLET HEIGHT FROM THE GROUND 1.000 mm (E)	FC 4/5	6,92	7,91	56	44
	FC 4/6	7,80	8,79	65	51
	FC 4/7	8,68	9,67	74	58
	FC 4/8	9,56	10,55	83	65
	FC 4/9	10,44	11,43	92	72
	FC 4/10	11,32	12,31	102	79
	FC 4/11	12,20	13,19	111	86
	FC 4/12	13,08	14,07	120	93
	FC 4/13	13,96	14,95	129	101
	FC 4/14	14,84	15,83	138	108
	FC 4/15	15,72	16,71	147	115
	FC 4/16	16,60	17,59	156	122
	FC 4/17	17,48	18,47	166	129
	FC 4/18	18,36	19,35	175	136
	FC 4/19	19,24	20,23	184	143
	FC 4/20	20,12	21,11	193	151
	4,55 m (15 FT) (D) FC45 5 HOPPER FLANGED OUTLET HEIGHT FROM THE GROUND 1.000 mm (E)	FC 5/5	7,37	8,62	91
FC 5/6		8,25	9,50	105	82
FC 5/7		9,13	10,38	120	93
FC 5/8		10,01	11,26	134	104
FC 5/9		10,89	12,14	148	116
FC 5/10		11,77	13,02	162	127
FC 5/11		12,65	13,90	177	138
FC 5/12		13,53	14,78	191	149
FC 5/13		14,41	15,66	205	160
FC 5/14		15,29	16,54	220	171
FC 5/15		16,17	17,42	234	182
FC 5/16		17,05	18,30	248	194
FC 5/17		17,93	19,18	263	205
FC 5/18		18,81	20,07	277	216
FC 5/19		19,69	20,95	291	227
FC 5/20		20,57	21,83	305	238
5,46 m (18 FT) (D) FC45 6 HOPPER FLANGED OUTLET HEIGHT FROM THE GROUND 1.000 mm (E)		FC 6/5	7,83	9,34	136
	FC 6/6	8,71	10,22	157	122
	FC 6/7	9,59	11,10	178	139
	FC 6/8	10,47	11,98	198	155
	FC 6/9	11,35	12,86	219	171
	FC 6/10	12,23	13,74	239	187
	FC 6/11	13,11	14,62	260	203
	FC 6/12	13,99	15,50	281	219
	FC 6/13	14,87	16,38	301	235
	FC 6/14	15,75	17,26	322	251
	FC 6/15	16,63	18,14	342	267
	FC 6/16	17,51	19,02	363	283
	FC 6/17	18,39	19,90	383	299
	FC 6/18	19,27	20,78	404	315
	FC 6/19	20,15	21,66	425	331
	FC 6/20	21,03	22,54	445	347
	6,37 m (21 FT) (D) FC45 7 HOPPER FLANGED OUTLET HEIGHT FROM THE GROUND 1.000 mm (E)	FC 7/5	8,28	10,06	193
FC 7/6		9,16	10,94	221	172
FC 7/7		10,04	11,82	249	194
FC 7/8		10,92	12,70	277	216
FC 7/9		11,80	13,58	305	238
FC 7/10		12,68	14,46	333	260
FC 7/11		13,56	15,34	361	282
FC 7/12		14,44	16,22	389	304
FC 7/13		15,32	17,10	417	325
FC 7/14		16,20	17,98	445	347
FC 7/15		17,08	18,86	473	369
FC 7/16		17,96	19,74	501	391
FC 7/17		18,84	20,62	529	413
FC 7/18		19,72	21,50	557	435
FC 7/19		20,60	22,38	585	457
FC 7/20		21,48	23,26	613	478
FC 7/21		22,36	24,14	641	500
FC 7/22	23,24	25,02	669	522	
FC 7/23	24,12	25,90	697	544	
FC 7/24	25,00	26,78	725	566	
FC 7/25	25,88	27,66	754	588	

DIAMETER METERS (FEET)	MODEL	HEIGHTS		CAPACITY	
		EAVES m (B)	OVERALL m (C)	m³	Tonnes
7,28 m (24 FT) (D) FC45 8 HOPPER FLANGED OUTLET HEIGHT FROM THE GROUND 1.000 mm (E)	FC 8/5	8,74	10,78	262	204
	FC 8/6	9,62	11,66	298	233
	FC 8/7	10,50	12,54	335	261
	FC 8/8	11,38	13,42	372	290
	FC 8/9	12,26	14,30	408	318
	FC 8/10	13,14	15,18	445	347
	FC 8/11	14,02	16,06	481	376
	FC 8/12	14,90	16,94	518	404
	FC 8/13	15,78	17,82	555	433
	FC 8/14	16,66	18,70	591	461
	FC 8/15	17,54	19,58	628	490
	FC 8/16	18,42	20,46	664	518
	FC 8/17	19,30	21,34	701	547
	FC 8/18	20,18	22,22	738	575
	FC 8/19	21,06	23,10	774	604
	FC 8/20	21,94	23,98	811	632
	8,19 m (27 FT) (D) FC45 9 HOPPER FLANGED OUTLET HEIGHT FROM THE GROUND 1.450 mm (E)	FC 9/5	9,53	11,83	349
FC 9/6		10,41	12,71	395	308
FC 9/7		11,29	13,59	442	344
FC 9/8		12,17	14,47	488	381
FC 9/9		13,05	15,35	534	417
FC 9/10		13,93	16,23	580	453
FC 9/11		14,81	17,11	627	489
FC 9/12		15,69	17,99	673	525
FC 9/13		16,57	18,87	719	561
FC 9/14		17,45	19,75	766	597
FC 9/15		18,33	20,63	812	633
FC 9/16		19,21	21,51	858	670
FC 9/17		20,09	22,39	905	706
FC 9/18		20,97	23,27	951	742
FC 9/19		21,85	24,15	997	778
FC 9/20		22,73	25,03	1.044	814
9,10 m (30 FT) (D) FC45 10 HOPPER FLANGED OUTLET HEIGHT FROM THE GROUND 1.450 mm (E)		FC 9/21	23,61	25,91	1.090
	FC 9/22	24,49	26,79	1.136	886
	FC 9/23	25,37	27,67	1.183	922
	FC 9/24	26,25	28,56	1.229	959
	FC 9/25	27,13	29,44	1.275	995
	FC 9/26	28,01	30,32	1.322	1.031
	FC 9/27	28,89	31,20	1.368	1.067
	FC 9/28	29,77	32,08	1.414	1.103
	FC 9/29	30,65	32,96	1.461	1.139
	FC 9/30	31,53	33,84	1.507	1.175
	FC 10/5	10,28	12,70	448	350
	FC 10/6	11,16	13,58	506	394
	FC 10/7	12,04	14,46	563	439
	FC 10/8	12,92	15,34	620	484
	FC 10/9	13,80	16,22	677	528
	FC 10/10	14,68	17,10	734	573
	FC 10/11	15,56	17,98	792	617
FC 10/12	16,44	18,86	849	662	
FC 10/13	17,32	19,74	906	707	
FC 10/14	18,20	20,62	963	751	
FC 10/15	19,08	21,50	1.020	796	
FC 10/16	19,97	22,39	1.078	841	
FC 10/17	20,85	23,27	1.135	886	
FC 10/18	21,73	24,15	1.192	930	
FC 10/19	22,61	25,03	1.250	975	
FC 10/20	23,49	25,91	1.307	1.019	
FC 10/21	24,37	26,79	1.364	1.064	
FC 10/22	25,25	27,67	1.421	1.109	
FC 10/23	26,13	28,55	1.478	1.153	
FC 10/24	27,01	29,43	1.536	1.198	
FC 10/25	27,89	30,31	1.593	1.242	
FC 10/26	28,77	31,19	1.650	1.287	
FC 10/27	29,65	32,07	1.707	1.332	
FC 10/28	30,53	32,95	1.764	1.376	
FC 10/29	31,41	33,83	1.822	1.421	
FC 10/30	32,29	34,71	1.879	1.465	

DIAMETER METERS (FEET)	MODEL	HEIGHTS		CAPACITY		
		EAVES m (B)	OVERALL m (C)	m³	Tonnes	
10,00 m (33 FT) (D) FC45 11 HOPPER FLANGED OUTLET HEIGHT FROM THE GROUND 1.450 mm (E)	FC 11/5	10,74	13,43	562	438	
	FC 11/6	11,62	14,31	631	492	
	FC 11/7	12,50	15,19	700	546	
	FC 11/8	13,38	16,07	769	600	
	FC 11/9	14,26	16,95	838	654	
	FC 11/10	15,14	17,83	908	708	
	FC 11/11	16,02	18,71	977	762	
	FC 11/12	16,90	19,59	1.046	816	
	FC 11/13	17,78	20,47	1.115	870	
	FC 11/14	18,66	21,35	1.184	924	
	FC 11/15	19,54	22,23	1.254	978	
	FC 11/16	20,43	23,12	1.324	1.032	
	FC 11/17	21,31	24,00	1.393	1.086	
	FC 11/18	22,19	24,88	1.462	1.140	
	FC 11/19	23,07	25,76	1.531	1.194	
	FC 11/20	23,95	26,64	1.600	1.248	
	FC 11/21	24,83	27,52	1.670	1.302	
	FC 11/22	25,71	28,40	1.739	1.356	
	FC 11/23	26,59	29,28	1.808	1.410	
	FC 11/24	27,47	30,16	1.877	1.464	
	FC 11/25	28,35	31,04	1.946	1.518	
	FC 11/26	29,23	31,92	2.016	1.572	
	FC 11/27	30,11	32,80	2.085	1.626	
	FC 11/28	30,99	33,68	2.154	1.680	
	FC 11/29	31,87	34,56	2.223	1.734	
	FC 11/30	32,75	35,44	2.292	1.788	
	10,91 m (36 FT) (D) FC45 12 HOPPER FLANGED OUTLET HEIGHT FROM THE GROUND 1.450 mm (E)	FC 12/5	11,21	14,15	691	539
		FC 12/6	12,09	15,03	773	603
		FC 12/7	12,97	15,91	856	667
		FC 12/8	13,85	16,79	938	732
FC 12/9		14,73	17,68	1.020	796	
FC 12/10		15,61	18,56	1.103	860	
FC 12/11		16,49	19,44	1.185	924	
FC 12/12		17,37	20,32	1.267	989	
FC 12/13		18,25	21,20	1.350	1.053	
FC 12/14		19,13	22,08	1.432	1.117	
FC 12/15		20,01	22,96	1.515	1.181	
FC 12/16		20,90	23,85	1.598	1.247	
FC 12/17		21,78	24,73	1.681	1.311	
FC 12/18		22,66	25,61	1.763	1.375	
FC 12/19		23,54	26,49	1.845	1.439	
FC 12/20		24,42	27,37	1.928	1.504	
FC 12/21		25,30	28,25	2.010	1.568	
FC 12/22		26,18	29,13	2.092	1.632	
FC 12/23		27,06	30,01	2.175	1.696	
FC 12/24		27,94	30,89	2.257	1.761	
FC 12/25		28,82	31,77	2.339	1.825	
FC 12/26		29,70	32,65	2.422	1.889	
FC 12/27		30,58	33,53	2.504	1.953	
FC 12/28		31,46	34,41	2.586	2.017	
FC 12/29		32,34	35,29	2.669	2.082	
FC 12/30		33,22	36,17	2.751	2.146	
11,82 m (39 FT) (D) FC45 13 HOPPER FLANGED OUTLET HEIGHT FROM THE GROUND 1.450 mm (E)		FC 13/5	11,69	14,90	840	655
		FC 13/6	12,57	15,78	936	730
		FC 13/7	13,45	16,66	1.033	806
		FC 13/8	14,33	17,54	1.130	881
	FC 13/9	15,21	18,42	1.226	957	
	FC 13/10	16,09	19,30	1.323	1.032	
	FC 13/11	16,97	20,18	1.420	1.107	
	FC 13/12	17,85	21,06	1.516	1.183	
	FC 13/13	18,73	21,94	1.613	1.258	
	FC 13/14	19,61	22,82	1.710	1.333	
	FC 13/15	20,49	23,70	1.806	1.409	
	FC 13/16	21,38	24,59	1.904	1.485	
	FC 13/17	22,26	25,47	2.001	1.560	
	FC 13/18	23,14	26,35	2.097	1.636	
	FC 13/19	24,02	27,23	2.194	1.711	
	FC 13/20	24,90	28,11	2.291	1.787	
	FC 13/21	25,78	28,99	2.387	1.862	
	FC 13/22	26,66	29,87	2.484	1.937	
	FC 13/23	27,54	30,75	2.581	2.013	
	FC 13/24	28,42	31,63	2.677	2.088	
	FC 13/25	29,30	32,51	2.774	2.164	
	FC 13/26	30,18	33,39	2.870	2.239	
	FC 13/27	31,06	34,27	2.967	2.314	
	FC 13/28	31,94	35,15	3.064	2.390	
	FC 13/29	32,82	36,03	3.160	2.465	
	FC 13/30	33,70	36,91	3.257	2.540	

DIAMETER METERS (FEET)	MODEL	HEIGHTS		CAPACITY		
		EAVES m (B)	OVERALL m (C)	m³	Tonnes	
12,73 m (42 FT) (D) FC45 14 HOPPER FLANGED OUTLET HEIGHT FROM THE GROUND 1.450 mm (E)	FC 14/5	12,15	15,62	1.004	783	
	FC 14/6	13,03	16,50	1.116	870	
	FC 14/7	13,91	17,38	1.228	958	
	FC 14/8	14,79	18,26	1.340	1.045	
	FC 14/9	15,67	19,14	1.452	1.132	
	FC 14/10	16,55	20,02	1.564	1.220	
	FC 14/11	17,43	20,90	1.676	1.307	
	FC 14/12	18,31	21,78	1.788	1.395	
	FC 14/13	19,19	22,66	1.900	1.482	
	FC 14/14	20,07	23,54	2.012	1.570	
	FC 14/15	20,95	24,42	2.124	1.657	
	FC 14/16	21,84	25,31	2.238	1.745	
	FC 14/17	22,72	26,19	2.350	1.833	
	FC 14/18	23,60	27,07	2.462	1.920	
	FC 14/19	24,48	27,95	2.574	2.008	
	FC 14/20	25,36	28,83	2.686	2.095	
	FC 14/21	26,24	29,71	2.798	2.183	
	FC 14/22	27,12	30,59	2.910	2.270	
	FC 14/23	28,00	31,47	3.022	2.357	
	FC 14/24	28,88	32,35	3.134	2.445	
	FC 14/25	29,76	33,23	3.247	2.532	
	FC 14/26	30,64	34,11	3.359	2.620	
	FC 14/27	31,52	34,99	3.471	2.707	
	FC 14/28	32,40	35,87	3.583	2.795	
	FC 14/29	33,28	36,75	3.695	2.882	
	FC 14/30	34,16	37,63	3.807	2.969	
	13,46 m (45 FT) (D) FC45 15 HOPPER FLANGED OUTLET HEIGHT FROM THE GROUND 1.450 mm (E)	FC 15/5	12,61	16,35	1.187	926
		FC 15/6	13,49	17,23	1.316	1.027
		FC 15/7	14,37	18,11	1.445	1.127
		FC 15/8	15,25	18,99	1.573	1.227
FC 15/9		16,13	19,87	1.702	1.328	
FC 15/10		17,01	20,75	1.831	1.428	
FC 15/11		17,89	21,63	1.959	1.528	
FC 15/12		18,77	22,51	2.088	1.629	
FC 15/13		19,65	23,39	2.217	1.729	
FC 15/14		20,53	24,27	2.345	1.829	
FC 15/15		21,41	25,15	2.474	1.930	
FC 15/16		22,29	26,03	2.603	2.030	
FC 15/17		23,17	26,91	2.731	2.131	
FC 15/18		24,05	27,79	2.860	2.231	
FC 15/19		24,93	28,67	2.989	2.331	
FC 15/20		25,81	29,55	3.117	2.432	
FC 15/21		26,69	30,43	3.246	2.532	
FC 15/22		27,57	31,31	3.375	2.632	
FC 15/23		28,45	32,19	3.503	2.733	
FC 15/24		29,33	33,07	3.632	2.833	
FC 15/25		30,21	33,95	3.761	2.933	
FC 15/26		31,09	34,83	3.889	3.034	
FC 15/27		31,97	35,71	4.018	3.134	
FC 15/28		32,85	36,59	4.147	3.235	
FC 15/29		33,73	37,47	4.276	3.335	
FC 15/30		34,61	38,35	4.404	3.435	
FC 15/31		35,49	39,23	4.533	3.536	
FC 15/32		36,37	40,11	4.662	3.636	
14,55 m (48 FT) FC45 16 HOPPER FLANGED OUTLET HEIGHT FROM THE GROUND 1,450 mm		FC 16/5	13,07	17,06	1.390	1.084
		FC 16/6	13,95	17,94	1.536	1.198
	FC 16/7	14,83	18,82	1.682	1.312	
	FC 16/8	15,71	19,70	1.829	1.427	
	FC 16/9	16,59	20,58	1.975	1.541	
	FC 16/10	17,47	21,46	2.122	1.655	
	FC 16/11	18,35	22,34	2.268	1.769	
	FC 16/12	19,23	23,22	2.414	1.883	
	FC 16/13	20,11	24,10	2.561	1.997	
	FC 16/16	20,99	24,98	2.707	2.112	
	FC 16/16	21,87	25,87	2.854	2.226	
	FC 16/16	22,75	26,75	3.000	2.340	
	FC 16/17	23,63	27,63	3.146	2.454	
	FC 16/18	24,51	28,51	3.293	2.568	
	FC 16/19	25,39	29,39	3.439	2.683	
	FC 16/20	26,27	30,27	3.586	2.797	
	FC 16/21	27,15	31,15	3.732	2.911	
	FC 16/22	28,03	32,03	3.878	3.025	
	FC 16/23	28,91	32,91	4.025	3.139	
	FC 16/24	29,79	33,79	4.171	3.254	
	FC 16/25	30,67	34,67	4.318	3.368	
	FC 16/26	31,55	35,55	4.464	3.482	
	FC 16/27	32,43	36,43	4.610	3.596	
	FC 16/28	33,31	37,31	4.757	3.710	
	FC 16/29	34,19	38,19	4.903	3.824	
	FC 16/30	35,07	39,07	5.050	3.939	
	FC 16/31	35,95	39,95	5.196	4.053	
	FC 16/32	36,83	40,83	5.342	4.167	

NOTE:

The maximum capacity of the silos is calculated assuming an angle of repose of 28° and based on uncompacted cereals weight of 780 kg/m³.

Silos are designed to meet:

- 144 km/h wind speed

- 75 kg/m² of snow on the roof

Standard roof peak capacity varies from 250 to 15.000 kg, depending on silo diameter.

AGI FRAME reserves right to change specifications

without prior notice.

FRAME S.R.L.


Via Bertella 2 - 40064 Ozzano dell'Emilia (BO) – Italy

P +39 051 798 107 | **F** +39 051 796 300 | **E** info@framespa.it | **framespa.com** | **aggrowth.com**

DIAMETER METERS (FEET)	MODEL	HEIGHTS		CAPACITY	
		EAVES m (B)	OVERALL m (C)	m³	Tonnes
3,64 m (12 FT) (D) FC60 4	FC 4/5	8,05	9,04	61	48
	FC 4/6	8,93	9,92	70	55
	FC 4/7	9,81	10,80	79	62
	FC 4/8	10,69	11,68	89	69
	FC 4/9	11,57	12,56	98	76
	FC 4/10	12,45	13,44	107	83
	FC 4/11	13,33	14,32	116	91
	FC 4/12	14,21	15,20	125	98
	FC 4/13	15,09	16,08	134	105
	FC 4/14	15,97	16,96	143	112
	FC 4/15	16,85	17,84	153	119
	FC 4/16	17,73	18,72	162	126
	FC 4/17	18,61	19,60	171	133
	FC 4/18	19,49	20,48	180	140
	FC 4/19	20,37	21,36	189	148
	FC 4/20	21,25	22,24	198	155
	4,55 m (15 FT) (D) FC60 5	FC 5/5	8,84	10,09	101
FC 5/6		9,72	10,97	115	90
FC 5/7		10,60	11,85	130	101
FC 5/8		11,48	12,73	144	112
FC 5/9		12,36	13,61	158	123
FC 5/10		13,24	14,49	173	135
FC 5/11		14,12	15,37	187	146
FC 5/12		15,00	16,25	201	157
FC 5/13		15,88	17,13	215	168
FC 5/14		16,76	18,01	230	179
FC 5/15		17,64	18,89	244	190
FC 5/16		18,52	19,77	258	202
FC 5/17		19,40	20,65	273	213
FC 5/18		20,28	21,53	287	224
FC 5/19		21,16	22,41	301	235
FC 5/20		22,04	23,29	316	246
FC 5/21		22,92	24,17	330	257
FC 5/22	23,80	25,05	344	268	
FC 5/23	24,68	25,93	358	280	
FC 5/24	25,56	26,81	373	291	
FC 5/25	26,44	27,69	387	302	
5,46 m (18 FT) (D) FC60 6	FC 6/5	9,65	11,16	154	120
	FC 6/6	10,53	12,04	175	136
	FC 6/7	11,41	12,92	195	152
	FC 6/8	12,29	13,80	216	168
	FC 6/9	13,17	14,68	236	184
	FC 6/10	14,05	15,56	257	200
	FC 6/11	14,93	16,44	278	217
	FC 6/12	15,81	17,32	298	233
	FC 6/13	16,69	18,20	319	249
	FC 6/14	17,57	19,08	339	265
	FC 6/15	18,45	19,96	360	281
	FC 6/16	19,33	20,84	381	297
	FC 6/17	20,21	21,72	401	313
	FC 6/18	21,09	22,60	422	329
	FC 6/19	21,97	23,48	442	345
	FC 6/20	22,85	24,36	463	361
	FC 6/21	23,73	25,24	484	377
FC 6/22	24,61	26,12	504	393	
FC 6/23	25,49	27,00	525	409	
FC 6/24	26,37	27,88	545	425	
FC 6/25	27,25	28,76	566	441	
6,37 m (21 FT) (D) FC60 7	FC 7/5	10,43	12,21	221	172
	FC 7/6	11,31	13,09	249	194
	FC 7/7	12,19	13,97	277	216
	FC 7/8	13,07	14,85	305	238
	FC 7/9	13,95	15,73	333	260
	FC 7/10	14,83	16,61	361	281
	FC 7/11	15,71	17,49	389	303
	FC 7/12	16,59	18,37	417	325
	FC 7/13	17,47	19,25	445	347
	FC 7/14	18,35	20,13	473	369
	FC 7/15	19,23	21,01	501	391
	FC 7/16	20,11	21,89	529	413
	FC 7/17	20,99	22,77	557	434
	FC 7/18	21,87	23,65	585	456
	FC 7/19	22,75	24,53	613	478
	FC 7/20	23,63	25,41	641	500
	FC 7/21	24,51	26,29	669	522
FC 7/22	25,40	27,17	697	544	
FC 7/23	26,28	28,05	725	566	
FC 7/24	27,16	28,93	753	587	
FC 7/25	28,04	29,81	781	609	

DIAMETER METERS (FEET)	MODEL	HEIGHTS		CAPACITY	
		EAVES m (B)	OVERALL m (C)	m³	Tonnes
7,28 m (24 FT) (D) FC60 8	FC 8/5	11,52	13,56	303	236
	FC 8/6	12,40	14,44	340	265
	FC 8/7	13,28	15,32	376	293
	FC 8/8	14,16	16,20	413	322
	FC 8/9	15,04	17,08	449	350
	FC 8/10	15,92	17,96	486	379
	FC 8/11	16,80	18,84	523	408
	FC 8/12	17,68	19,72	559	436
	FC 8/13	18,56	20,60	596	465
	FC 8/14	19,44	21,48	632	493
	FC 8/15	20,32	22,36	669	522
	FC 8/16	21,20	23,24	706	550
	FC 8/17	22,08	24,12	742	579
	FC 8/18	22,96	25,00	779	607
	FC 8/19	23,84	25,88	815	636
	FC 8/20	24,72	26,76	852	664
	FC 8/21	25,60	27,64	889	693
FC 8/22	26,48	28,52	925	722	
FC 8/23	27,36	29,40	962	750	
FC 8/24	28,24	30,28	998	779	
FC 8/25	29,12	31,16	1.035	807	
FC 8/26	30,00	32,04	1.072	836	
FC 8/27	30,88	32,92	1.108	864	
FC 8/28	31,76	33,80	1.145	893	
FC 8/29	32,64	34,68	1.181	921	
FC 8/30	33,52	35,56	1.218	950	

Legend & Details



F = Hopper Outlet Detail

