

Westeel, a Division of AGI warrants products that it has manufactured and/or that are branded with its name or that of Northern Steel Industries (the “goods”) subject to the following terms and limitations, (the “warranty”).

Note: The warranty does not apply to products manufactured by Westeel under license (the “licensed products”). The licensed products are solely subject to warranty terms as they may be set from time to time by the licensing body. The licensed products include but are not necessarily limited to: FLAME SHIELD, Fireguard, F921, STI P3, AquaSweep and Glasteel. For information on warranty terms applicable to the licensed products, or to determine whether a product is a licensed product, please consult the Westeel website and/or contact Westeel www.westeel.com or 1-800-665-2099.

1. **Duration of Warranty.** The duration of the warranty is limited as follows.

- i. External Corrosion – 2 years
- ii. Internal Corrosion – 2 years
- iii. Structural Defect – 5 years, except in the case of Mobile Tanks in which case it is 1 year
- iv. Tank Accessories (fabricated by Westeel) – 1 year
- v. Tank Accessories (fabricated by third-party suppliers) – various based on the warranty policy of the manufacturer (see limitations as to Manufacturer)
- vi. Loss of Vacuum – 2 years, except in the case of underground tanks in which case it is 30 days from date of delivery to the purchaser.

The duration of the warranty will run from the date of purchase by the end user from Westeel, an authorized dealer or an authorized distributor, unless otherwise stated (the “warranty period”).

2. **Limitation of Remedies Replacement.** Within the warranty period, Westeel will replace the goods and/or original manufactured components thereof which are found, to Westeel's satisfaction, to be defective. Westeel is not responsible for direct, indirect, special, consequential, or any other damages of any kind, including personal injury to any individual, howsoever caused, including caused

by transportation of the goods for repair or replacement.

3. **Procedure for Obtaining Service.** In the event of a warranty claim, the purchaser must complete any and all information required by Westeel in order to properly assess or investigate the claim. Westeel will not be responsible for the removal of any of the goods found to be defective, or transportation charges to and from the tank site, Westeel's authorized dealer or Westeel's authorized distributor, or for installation of any replacement goods and/or parts furnished under the warranty.

4. **Limitations as to Scope of Warranty.** The warranty does not extend to defects or damage caused, in whole or in part, by:

- i. use of a kind and/or to a degree not reasonably expected to be made of the goods
- ii. improper storage of the goods both prior to and after purchase
- iii. damage caused by, or in the course of, installation or assembly
- iv. any use of the goods which is not an intended use as specified in Westeel's published product literature, or otherwise specified by Westeel in writing
- v. any equipment attached to or used in conjunction with the goods
- vi. any field modifications or substitutions to original tank components
- vii. inadequate ventilation or any other circumstance not in keeping with proper maintenance and/or use of the goods
- viii. acts of God, accident, neglect or abuse of the goods by the purchaser and/or any other individual or entity
- ix. any use or installation inconsistent with Westeel's Standard Disclaimers.

5. **Limitations as to Manufacturer.** The warranty does not cover products sold by Westeel that are not manufactured and/or that are not branded with its name or that of Northern Steel Industries. In those circumstances, the purchaser is referred to the manufacturer of those products.

Westeel's warranty covers workmanship related to the installation of third-party products for a period of ninety (90) days from the date of purchase by the end user, including products purchased from an authorized Westeel dealer or distributor.

6. **Limitation of Implied Warranties and Other Remedies.** To the extent allowed by law, neither Westeel nor its dealers, nor any company affiliated with Westeel makes any warranties, representations, or promises as to the quality, performance, or freedom from defect of any Product covered by this Warranty.

WESTEEL HEREBY DISCLAIMS, TO THE EXTENT APPLICABLE, ANY AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. A PURCHASER'S ONLY REMEDIES IN CONNECTION WITH THIS WARRANTY ARE THOSE SET FORTH IN THIS WARRANTY. IN NO EVENT WILL WESTEEL, ITS DEALERS, OR ANY COMPANY AFFILIATED WITH WESTEEL BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES.

Some jurisdictions do not allow waivers of certain warranties, so the above waivers may not apply to you. In that event, any implied warranties are limited in duration to ninety (90) days from delivery of the products. You may also have other rights which vary from jurisdiction to jurisdiction.

7. **Exclusive Warranty.** This warranty is the only warranty provided by Westeel and all other warranties and/or commitments whether express or implied and no matter by whom made, statutory or otherwise, are subsumed and replaced by it and are of no legal effect. If any provision of the warranty is held by a court of competent jurisdiction to be void or unenforceable, in whole or in part, such provision shall be deemed severable and will not affect or impair the legal validity of any other provision of the warranty.

DISCLAIMERS

External Corrosion

The warranty does not apply if:

- i. Foreign materials have contacted painted surfaces or stainless steel surfaces causing damage and/or allowing for corrosion and/or rust.
- ii. The goods have been primed and/or painted by someone other than Westeel.
- iii. Threaded material has been scraped or scratched in a manner causing damage and/or allowing for corrosion and/or rust (eg. pipe caps or pumps).

Internal Corrosion

The warranty does not apply if:

- i. The goods are not used solely for the containment of petroleum products, unless otherwise stated in writing and signed off by an authorized representative of Westeel.
- ii. All maintenance procedures are not strictly followed. This includes but is not limited to a regular inspection for internal moisture and debris, dents, punctures, leaks and loose or damaged fittings a minimum of once every twelve (12) months.

Loss of Vacuum

The warranty does not apply if:

- i. The purchaser fails to contact Westeel immediately for instructions when vacuum appears to have been lost.
- ii. The vacuum has not been checked immediately after transporting to installation site.
- iii. The Installation Checklist is not strictly followed and completed, signed and returned to Westeel within fourteen (14) calendar days of the date of delivery. (Please see additional notes on "Vacuum Monitoring System Maintenance")

General

The following disclaimers apply to the goods in all circumstances:

- i. The goods must be installed by a certified installer recognized by local authorities, where applicable, and strictly in accordance with Westeel's Installation Instructions as well as all applicable installation and building codes and accepted trade practices. Without limiting the generality of the foregoing, proper foundation assembly, installation and use solely for the purposes intended as specified in Westeel's published product literature is essential. As well, tank venting for both normal and emergency situations must be installed properly and kept unobstructed at all times.
- ii. The goods must be handled at all times (including but not limited to shipping, loading and unloading, positioning) only when empty and must be secured at all times in a manner as specified in the Owners' Manual. Any damage caused during handling is not covered by the warranty.
- iii. Any damage caused by foreign debris entering into the tanks, including but not limited to moisture, is not covered by the warranty. It is extremely important for the owner/user to check for foreign debris inside the tank at the time of delivery as well as before commencing use of the goods and regularly during use of the goods. Moisture can cause irreparable damage to the goods including but not limited to a leak due to microbial corrosion. For further information on moisture monitoring and removal you may contact:
 - Steel Tank Institute (STI)
 - Westeel website
 - Petroleum Equipment Institute
- iv. Accessories and parts on the goods may not have been manufactured by Westeel ("third party manufactured goods"). Third party manufactured goods are not covered by the warranty. Warranty terms applicable to third party manufactured goods are as per the terms published by the applicable manufacturer. For further information on accessing the website of the applicable manufacturer please contact a Westeel representative.
- v. Modifications made to the goods that have not been approved in writing by an authorized representative of Westeel will result in the warranty being null and void. This will be the case for any and all damages howsoever caused to the goods at any time after the modification has been made.
- vi. The goods must be maintained and used at all times in a manner consistent with all Westeel procedures contained in the Owners' Manual as well as prudent, accepted practice.

Vacuum Monitoring System Maintenance

Long term vacuum monitoring of the double-walled portion of a tank can be used to evaluate the integrity of the primary or secondary walls of the tank system. It should be noted that the vacuum filled interstice created by the two walls essentially acts as a large barometer and thus the Vacuum recorded on the mechanical gauge factory installed on each tank will vary with ambient temperature as well as atmospheric or internal tank pressure.

Recorded vacuum gauge readings that vary with temperature or pressure would be considered normal. However, a steady drop in vacuum readings over time, regardless of ambient conditions, may indicate the vacuum system requires either maintenance or remedial action. Please contact Westeel immediately should you notice any consistent drops in vacuum readings.